

TAPE AND REEL INFORMATION



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
INA206AIDGSR	VSSOP	DGS	10	2500	330.0	12.4	5.3	3.4	1.4	8.0	12.0	Q1
INA206AIDR	SOIC	D	14	2500	330.0	16.4	6.5	9.0	2.1	8.0	16.0	Q1
INA206AIPWR	TSSOP	PW	14	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1
INA206AIPWRG4	TSSOP	PW	14	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1
INA207AIDGSR	VSSOP	DGS	10	2500	330.0	12.4	5.3	3.4	1.4	8.0	12.0	Q1
INA207AIPWR	TSSOP	PW	14	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1
INA208AIDR	SOIC	D	14	2500	330.0	16.4	6.5	9.0	2.1	8.0	16.0	Q1
INA208AIPWR	TSSOP	PW	14	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1

TAPE AND REEL BOX DIMENSIONS



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
INA206AIDGSR	VSSOP	DGS	10	2500	366.0	364.0	50.0
INA206AIDR	SOIC	D	14	2500	353.0	353.0	32.0
INA206AIPWR	TSSOP	PW	14	2000	353.0	353.0	32.0
INA206AIPWRG4	TSSOP	PW	14	2000	353.0	353.0	32.0
INA207AIDGSR	VSSOP	DGS	10	2500	353.0	353.0	32.0
INA207AIPWR	TSSOP	PW	14	2000	353.0	353.0	32.0
INA208AIDR	SOIC	D	14	2500	353.0	353.0	32.0
INA208AIPWR	TSSOP	PW	14	2000	353.0	353.0	32.0

TUBE



*All dimensions are nominal

Device	Package Name	Package Type	Pins	SPQ	L (mm)	W (mm)	T (μm)	B (mm)
INA207AID	D	SOIC	14	50	506.6	8	3940	4.32
INA207AID.A	D	SOIC	14	50	506.6	8	3940	4.32
INA207AIDGSR	DGS	VSSOP	10	2500	274	6.55	500	2.88
INA207AIDGSR.A	DGS	VSSOP	10	2500	274	6.55	500	2.88
INA208AIDGSR	DGS	VSSOP	10	2500	274	6.55	500	2.88
INA208AIDGSR.A	DGS	VSSOP	10	2500	274	6.55	500	2.88
INA208AIPW	PW	TSSOP	14	90	530	10.2	3600	3.5